

W124 Parts - All Models

Size	Chassis	Model	Years	Caliper	Rotor	Brake pads	Splash shield	Hub	Knuckle	Steering Arm	Control Arm	Up to VIN	From VIN
Front													
	<i>Diesels</i>												
284 x 22	124.133	300D	1987	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.193	300TD	1987	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.128	300D	90-92	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.131	E300	1995	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.026	300E 2.6	87-92	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.028	300E 2.8	1993	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.030	300E	86-92	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.050	300CE	88-89	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	124.090	300TE	88-92	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
284 x 22	201.034	190E-16V	86-87	001-420-18/19-83	124-421-16-12	001-420-07-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	201-332-10/11-20	201-330-40/41-07		
295 x 22	124.032	E320	93-95	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07	B864307	
295 x 22	124.034	E420	1992	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-27/28-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-34/35-07	To MY 1992	
295 x 22	124.051	300CE	90-92	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07		
295 x 22	124.052	E320 Cpe	93-95	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07	B862121	
295 x 22	124.066	E320 Cnv	93-95	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-25/26-44	129-330-04-25	129-330-02/03-20	124-332-12/13-20	124-330-34/35-07	B862121	
295 x 22	124.092	E320 Wag	93-95	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07	F242721	
294 x 25	124.032	E320	1993-95	001-420-04/05-83	124-421-24-12	002-420-37-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07		B864308
294 x 25	124.034	E420	1993-95	001-420-04/05-83	124-421-24-12	002-420-37-20	124-420-27/28-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-34/35-07		From MY 1993
294 x 25	124.052	E320 Cpe	93-95	001-420-04/05-83	124-421-24-12	002-420-37-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07		B862122
294 x 25	124.066	E320 Cnv	93-95	001-420-04/05-83	124-421-24-12	002-420-37-20	124-420-25/26-44	129-330-04-25	129-330-02/03-20	124-332-12/13-20	124-330-34/35-07		B862122
294 x 25	124.092	E320 Wag	93-95	001-420-04/05-83	124-421-24-12	002-420-37-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07		F242722
300 x 28	124.036	E500	1992-94	000-420-79/80-83	124-421-26-12	002-420-15-20	129-420-21/22-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-30/31-07	B930494	Alum, Brembo
300 x 28	124.036	E500	1992-94	129-420-00/01-83	124-421-26-12	002-420-15-20	129-420-21/22-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-30/31-07	B930494	Iron, ATE
320 x 30	124.036	E500	1992-94	001-420-00/01-83	129-421-17/18-12	002-420-15-20	129-420-18/19-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-30/31-07		B930495
Rear													
	<i>Diesels</i>												
258 x 9	124.133	300D	1987	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
258 x 9	124.128	300D	90-92	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
258 x 9	124.131	E300	1995	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
	<i>Gassers</i>												
258 x 9	124.026	300E 2.6	87-92	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
258 x 9	124.028	300E 2.8	1993	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
258 x 9	124.030	300E	86-92	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
258 x 9	124.050	300CE	88-89	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
258 x 9	201.034	190E-16V	86-87	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08				
	<i>M104 (24v) models</i>												
278 x 9	124.032	E320	1993-95	129-420-02/03-83	210-423-04-12	001-420-95-20	210-420-14/15-44	124-350-07-46	202-350-94/95-08				
278 x 9	124.051	Coupe		129-420-02/03-83	210-423-04-12	001-420-95-20	210-420-06/07-44	124-350-07-46	202-350-94/95-08				
278 x 9	124.052	Coupe		129-420-02/03-83	210-423-04-12	001-420-95-20	210-420-06/07-44	124-350-07-46	202-350-94/95-08				
278 x 9	124.066	Cabrio	1993-95	129-420-02/03-83	210-423-04-12	001-420-95-20	210-420-06/07-44	124-350-07-46	202-350-94/95-08				
	<i>Wagons</i>												
278 x 9	124.193	300TD	1987	129-420-02/03-83	210-423-04-12	001-420-95-20	210-420-06/07-44	124-350-08-46	124-350-10/11-32				
278 x 9	124.090	300TE	88-92	129-420-02/03-83	210-423-04-12	001-420-95-20	210-420-06/07-44	124-350-08-46	124-350-10/11-32				
278 x 20	124.092	E320	93-95	000-420-74/75-83	124-423-10-12	001-420-95-20	210-420-14/15-44	124-350-08-46	124-350-10/11-32			F323055	
290 x 10	124.092	E320	1995	001-420-47/48-83	124-423-11-12	002-420-46-20	210-420-14/15-44	124-350-08-46	124-350-10/11-32				F323056
	<i>M119 (V8) models</i>												
278 x 24	124.034	E420	1992-95	000-420-82/83-83	124-423-08-12	001-420-95-20	210-420-14/15-44	124-350-07-46	202-350-94/95-08				
278 x 24	124.036	E500	1992-94	000-420-82/83-83	129-423-02-12	001-420-95-20	210-420-14/15-44	129-350-00-46	202-350-94/95-08				
300 x 22	124.036	E500	1992-94	001-420-37/38-83	129-423-03-12	002-420-05-20	210-420-06/07-44	129-350-00-46	202-350-94/95-08	European	models only!		B927761

Part Summary

Size	Chassis	Model	Years	Caliper	Rotor	Brake pads	Splash shield	Hub	Knuckle	Steering Arm	Control Arm	Up to VIN	From VIN
Front													
284 x 22	124.xxx	Most	1986-92	001-420-18/19-83	124-421-16-12	000-420-99-20	124-420-13/14-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-30/31-07		
295 x 22	124.032	E320	1993-95	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07	B864307	
294 x 25	124.032	E320	1993-95	001-420-04/05-83	124-421-24-12	002-420-37-20	124-420-25/26-44	124-330-22-25	124-330-04/05-20	124-332-12/13-20	124-330-34/35-07		B864308
295 x 22	124.034	E420	1992	000-420-72/73-83	124-421-15-12	002-420-15-20	124-420-27/28-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-34/35-07	To MY 1992	
294 x 25	124.034	E420	1993-95	001-420-04/05-83	124-421-24-12	002-420-37-20	124-420-27/28-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-34/35-07		From MY 1993
320 x 30	124.034	E420	?	001-420-00/01-83	129-421-17/18-12	002-420-15-20	129-420-18/19-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-34/35-07	Euro only!	B938569
300 x 28	124.036	E500	1992-94	000-420-79/80-83	124-421-26-12	002-420-15-20	129-420-21/22-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-30/31-07	B930494	
320 x 30	124.036	E500	1992-94	001-420-00/01-83	129-421-17/18-12	002-420-15-20	129-420-18/19-44	129-330-04-25	129-330-02/03-20	129-332-03/04-20	124-330-30/31-07		B930495
334 x 32	129.076	SL600	1999-02	001-420-77/78-83	129-421-21-12	003-420-08-20	129-420-18/19-44	129-330-05-25	129-330-02/03-20	129-332-06/07-20	124-330-34/35-07		Standard (black calipers)
334 x 32	129.076	SL600	1999-02	001-99-83, 002-00	129-421-23-12	003-420-08-20	129-420-18/19-44	129-330-05-25	129-330-02/03-20	129-332-06/07-20	124-330-34/35-07		Silver Arrow (silver calipers)
(334mm brakes also used on 129.068, SL500, 1999-2002... same parts as SL600)							Note: Code "P30" is Silver Arrow Edition with cross-drilled brake rotors and silver-colored calipers.						
Note: R129 knuckles measure 95mm from rear surface to front hub surface (front to back)													
Rear													
258 x 9	124.133	300D	1987	124-420-02/03-83	201-423-12-12	000-420-98-20	202-420-14/15-44	124-350-07-46	202-350-94/95-08	N/A	N/A		
278 x 9	124.032	E320	1993-95	129-420-02/03-83	210-423-04-12	001-420-95-20	210-420-14/15-44	124-350-07-46	202-350-94/95-08	N/A	N/A		
278 x 20	124.092	E320	93-95	000-420-74/75-83	124-423-10-12	001-420-95-20	210-420-14/15-44	124-350-08-46	124-350-10/11-32	N/A	N/A	F323055	
290 x 10	124.092	E320	1995	001-420-47/48-83	124-423-11-12	002-420-46-20	210-420-14/15-44	124-350-08-46	124-350-10/11-32	N/A	N/A		F323056
278 x 24	124.034	E420	1992-95	000-420-82/83-83	124-423-08-12	001-420-95-20	210-420-14/15-44	124-350-07-46	202-350-94/95-08	N/A	N/A		
278 x 24	124.036	E500	1992-94	000-420-82/83-83	129-423-02-12	001-420-95-20	210-420-14/15-44	129-350-00-46	202-350-94/95-08	N/A	N/A		
300 x 22	124.036	E500	1992-94	001-420-37/38-83	129-423-03-12	003-420-48-20	210-420-14/15-44	129-350-00-46	202-350-94/95-08	N/A	N/A	Euro Only!	B927761
300 x 22	129.076	SL600	1999-02	001-420-37/38-83	129-423-03-12	003-420-30-20	210-420-14/15-44	129-350-00-46	202-350-94/95-08	N/A	N/A		Standard (black calipers)
300 x 22	129.076	SL600	1999-02	129-423-03/04-98	129-423-05-12	003-420-30-20	210-420-14/15-44	129-350-00-46	202-350-94/95-08	N/A	N/A		Silver Arrow (silver calipers)
PORTERFIELD BRAKE PADS													
				Front size	Porterfield part #	Price (R4-S)		Rear size	Porterfield part #	Price (R4-S)			
				284 x 22	AP-423	\$110		258 x 9	AP-335b	\$69			
				294 x 25	AP-561	\$139		278 x 9	AP-495	\$79			
				295 x 22	AP-561	\$139		278 x 24	AP-495	\$79			
				300 x 28	AP-561	\$139		300 x 22	AP-603	\$119			
				320 x 30	AP-561	\$139							
				334 x 32	AP-847	\$195							
			2/7/07	Front lower control arm bushings:									
			List Pr.										
			\$100/ea	124-330-05-75	Up to B711095	Standard							
			\$100/ea	124-330-06-75	From B711096	Standard							
			\$102/ea	201-330-01-75	Up to B711095	Sportline							
			\$102/ea	124-330-09-75	B711095-C018227	Sportline	<-- This kit has the same bushings as the 201- kit, but with different hardware						
			\$100/ea	124-330-06-75	From C018227	Sportline	<-- Late Sportline models reverted to the soft/standard rubber bushings.						

Size Overview

Size, inches	Size, millimeters	
	Front	
10.2	284 x 22	Almost every 124 from 1986-1992, plus diesels & wagons from 86-95
11.6	295 x 22	All 124's from roughly 92-93, except diesel, and 2.8L M104
11.6	294 x 25	93-95 400E, E420; 1993.5-up with 3.2L M104 engine
11.8	300 x 28	Early 500E, all SL320 and SL500 (except SL500 with code 472/ESP)
12.6	320 x 30	All 1993-98 SL600, also 1994-98 SL500 with code 472/ESP - Directional rotors
13.1	334 x 32	1999-02 SL500 (129.068), SL600 (129.076) - Non-directional rotors, Brembo calipers
13.6	345 x 30	C32 AMG (203.065), C55 AMG (203.076), CLK55 AMG (209.376)
14.2	360 x 36	CLK63 AMG (209.477) - 2-piece lightweight rotor, 6-piston caliper
14.2	360 x 36	E55 AMG Kompressor (211.076) - 1-piece iron rotor, 8-piston caliper
		<i>Note: 334mm brakes will fit the W124 if the R129 knuckle & hub are used, OR the late L.C.A. This is a great upgrade for E420/E500 - these already have the R129 parts. Also, the "Silver Arrow" models (code P30) have factory cross-drilled rotors.</i>
	Rear	
10.1	258 x 9	All M103 sedans (86-92), all diesels (87-95), and M104 2.8L (1993)
11.0	278 x 9	All wagons 87-92, coupe/convertible (124.05x, .06x) and 93-95 M104 sedan (.032), all SL500 to 1998 without code 472/ESP.
11.0	278 x 20	1993-95 E320 wagon (124.092) up to 03/95 (vented)
11.4	290 x 10	1995 E320 wagon (124.092) as of 04/95 (solid)
11.0	278 x 24	All V8 models: 1992-1995 400E, E420 (124.034) and 500E, E500 (124.036), Euro 124.036 up to VIN #B927760.
11.8	300 x 22	Euro 124.036 from VIN #B927761; all SL600, 94-98 SL500 with code 472/ESP, all 1999-2002 SL500 (129.068). Also C43, CLK/E55, SLK320 AMG, and others
13.0	330 x 26	E55 AMG Kompressor (211.076), CLK63 AMG (4-piston rear calipers)
		<i>Also note that there are two different piston sizes for the 300mm rear calipers!</i>

Caliper Pistons

Note: Data in red indicates conflicting information between Mercedes EPC (parts) and WIS (service) info								
FRONT	BRAKES							
				Note 1	Note 2		<i>StopTech</i>	<i>MovIt</i>
	295 x 22	294 x 25	300 x 28	320 x 30	320 x 30	334 x 32	355 x 32	
Bottom piston:	38	38	38	38	40	40	?	36
Top piston:	42	42	42	42	44	44	?	44
Note 1: Used on all 129.076 (SL600), also 129.063 (SL320) with ESP								
Note 2: Used only on late 124.036 (E500)??? I think this may be an error - may be 38/42mm.								
REAR	BRAKES							
				Note 1	Note 2			<i>MovIt</i>
	258 x 9	278 x 9	278 x 24	300 x 22	300 x 22		300x28	
Piston diam:	35	38	38	42	46		28/30	
Note 1: Used on 129.067/068 (SL500) w/ESP (Bendix "42"), 129.076 (SL600) Teves Also used on 202.033 (C43), 208.374 (CLK55), 210.074 (E55)								
Note 2: Used on Euro model 124.036 (E500), and all 129.076 (SL600) - Bendix "46"								
The EPC shows both the 42 and 46mm calipers and rebuild kits for the late E500 and all SL600, the WIS says they only came with 46mm, I don't know which is correct - can't tell what they came with from the factory. I suspect they originally came with 46, and 42mm calipers were later offered as a replacement?								
Also, the WIS documentation shows the late E500 front 320mm brakes as having 40/44mm pistons, but the data in the EPC conflicts, listing a 38/42mm rebuild kit. I can't tell which is correct until I get a 320mm caliper in-hand to measure.								
When swapping larger brakes onto any W124 with the stock M/C, it may be desirable to use rear 300mm calipers with 42mm pistons, which may be a better match to the smaller M/C?? Otherwise the late Euro E500 (SL600 & W140) M/C might be desirable, it does fit the old boosters.								
<i>One kit required per caliper</i>								
Rebuild Kits:			<i>List prices, February 2007</i>					
000-420-81-83	Brembo	38 / 42	\$28 each					
000-421-71-86	ATE	38 / 42	\$54 each					
000-421-94-86	Brembo	40 / 44	\$31 each					
000-421-72-86	ATE	38	\$36 each		(82/83-83)			
000-421-78-86	Bendix	42	\$19 each		(37/38-83)			
001-420-08-83	Bendix	46	?		(06/07-83)			

Weight

Notes:												
All weights are in pounds												
Calipers are weighed with no pads, hoses, wear sensors, mounting bolts, or wiring												
A single stock rubber brake hose weighs about 0.15lbs												
<i>Italics</i> indicate that the number is approximate or estimated weight, not exact												
Bold indicates exact measured weight of brand-new parts, or data from manufacturer's spec sheets												
									AMG C32		AMG	AMG
FRONT	BRAKES		<i>Aluminum</i>	<i>Iron</i>		<i>RENntech</i>	<i>OE- R129</i>	<i>(W203)</i>	<i>Rocketeer</i>		<i>E55-W211</i>	<i>CLK 63</i>
			<i>Brembo</i>	<i>ATE</i>		<i>Alcon</i>	<i>Brembo</i>	<i>Brembo</i>	<i>Wilwood</i>	<i>StopTech</i>	<i>Brembo</i>	<i>Brembo</i>
			300 x 28	300 x 28	320 x 30	330 x 30	334 x 32	345x30	355 x 32	355 x 32	360 x 36	360 x 32
Caliper	9.6	10.8	6.0	10.2	<i>13.5</i>	10.0	9.8	<i>9.8</i>	6.0	9.6	<i>10.0</i>	9.6
Rotor	13.2	16.1	16.8	16.8	21.3	18.0	24.6	25.7	15.0	18.1	34.2	22.6
Pads (2)	1.6	1.8	1.8	1.8	1.8	2.0	2.0	2.0	Included	2.2	<i>3.6</i>	<i>2.4</i>
Total	24.4	28.7	24.6	28.8	36.6	30.0	36.4	37.5	21.0	29.9	47.8	34.6
REAR	BRAKES					<i>AMG</i>	<i>AMG</i>					
						<i>E55-W211</i>	<i>CLK 63</i>					
						330 x 26	330 x 26					
Caliper	3.9	7.2	4.6	7.0	<i>5.2</i>	5.2						
Rotor	7.1	8.7	12.8	15.9	21.4	<i>18.8</i>						
Pads (2)	0.6	0.7	0.7	1.0	<i>1.8</i>	<i>1.8</i>						
Total	11.6	16.6	18.1	23.9	28.4	25.8						
MovIt	Brembo	kits										
Front	P/N 31.006: 322x32mm, 4s3 caliper, 36/44mm pistons, 75.5 sq cm pad area - \$2581 EUR (Dec-2005)											
Front	P/N 31.106: 342x34mm, 4m6 caliper, 36/44mm pistons, 75.5 sq cm pad area - \$3013 EUR (Dec-2005)											
Rear	P/N 31.008: 299x28mm, 4m1 caliper, 28/30mm pistons, 56.5 sq cm pad area - \$2323 EUR (Dec-2005)											
Note: AMG C32, CLK63, and E55 brake specs are listed for reference only - I do not know if they will fit a 124 chassis without custom brackets.												

MC & Booster Specs

Data is compiled from the 1985, 1988, and 1993 Technical Data Manuals, and various service manuals					
Data conflicts between the different manuals, particularly for the R107 and W126 specifications.					
Specifications are not available in either the TDM or WIS for M/C bore & stroke for the later M/C's used with the 334mm brakes. Those M/C's are not rebuildable, so Mercedes apparently didn't see the need to publish specs for them.					
** The pushrod circuit is for the front brakes, the floating circuit is for the rear brakes.					
		Note 1	Note 2	Note 3	
Model	All 107 from fall 1975, through June-1983; All 126 through June-1983	All USA W124's with 6-cyl engine, most W123's (??)	All USA W124's with V8 engine (400E/500E), All 126/107 from July 1983, All 129 except 129.076, W140.03x and W140.13x, 201.036 (Evo II - Euro only)	Euro 124.036 from VIN #B927761, 129.076 (600SL)	W140.04x W140.05x W140.07x (V8 and V12 models)
Booster (Ate / Teves)	ATE T52/225T	ATE T52/4A, 255	ATE T52/4A, 225-210	ATE T52/4A, 225-210	ATE T52/4A, 255-225
Booster (Lucas / Girling)	??	Lucas LSC 80	Lucas LSC 115 T	??	Lucas 003-430-55-30
Diameter	229mm (9 in. double)	254mm (10 in.)	203/229mm (8in / 9in)	203/229mm (8in / 9in)	229/254mm (9in / 10in)
Boost factor	4.5	3.85	5.60	5.60	6.85
Force curve @ 50N	2-12	10-16	14-25	14-25	13-25
Force curve @ 100N	28-40	26-35	35-45	35-45	35-47
Force curve @ 150N	54-68	43-54	53-63	53-63	57-69
Force curve @ 200N	80-97	59-70	71-81	71-81	78-92
Force curve @ 250N	105-125	75-85	87-98	87-98	95-105
Force curve @ 300N	132-140	86-95	Data not available	Data not available	Data not available
Master Cylinder specs: **					
Piston diameter (pushrod circuit)	15/16"	15/16"	1"	1-1/16"	1-1/16"
Piston diameter (floating circuit)	3/4"	3/4"	3/4"	1"	1"
Piston stroke (pushrod circuit)	Data not available	17mm	17mm	19mm	19mm
Piston stroke (floating circuit)	Data not available	15mm	15mm	13mm	13mm
Note 1: This MC (and booster) was used in ALL W124's except for V8 models (124.034 / .036)					
Note 2: This MC was used on all 124.034, 124.036 USA, & 124.036 Euro models to VIN # B927760 It was also used on all 129.063 (SL320) and 129.067 (SL500), except models with optional ESP. All these 124's and 129's came with 294-300mm front calipers, and 278mm rear calipers.					
Note 3: This MC was used ONLY with models that had 320mm front brakes, and 300mm rear brakes.					

MC Part #'s

	Master Cylinder Part #	Brake booster Part #	Note
<i>W124 models</i>			
All W124, non-V8	004-430-39-01	004-430-31-30	Optional with # below, non-ASR, to 06/1994
	005-430-24-01	004-430-31-30	Optional with # above, non-ASR, to 06/1994
	005-430-24-01	004-430-31-30	ASR, up to 06/1994
	005-430-62-01	004-430-31-30	From 06/1994
124.034 (E420)	004-430-75-01	004-430-65-30	USA and Euro, to 06/1994
	005-430-63-01	004-430-65-30	USA and Euro, from 06/1994
124.036 (E500)	004-430-75-01	004-430-65-30	All USA models
	004-430-75-01	004-430-65-30	Euro models to VIN # B927760
	005-430-40-01	004-430-22-30	Euro models from VIN # B927761
<i>Note: Late Euro E500 from B927761 had larger F&R brakes, and a different booster also.</i>			
<i>R129 models</i>			
129.063 (SL320)	004-430-75-01	004-430-65-30	To VIN # F102744
	005-430-65-01	004-430-65-30	From VIN # F102745, through 1997
	005-430-78-01	004-430-77-30	1998-up
129.067 (SL500) to 1998 only	004-430-75-01	004-430-65-30	To VIN # F102744
	005-430-65-01	004-430-65-30	From VIN # F102745, through 1997
	005-430-78-01	004-430-77-30	1998-up
	005-430-71-01	004-430-65-30	With code '472', through 1997 (SL600 brakes?)
	005-430-79-01	004-430-77-30	With code '472', 1998 only (SL600 brakes?)
129.068 (SL500) 1999-2002	005-430-89-01	005-430-09-30	All models (334 x 32 Brembo brakes)
129.076 (SL600) 1993-1998	005-430-40-01	004-430-65-30	To VIN # F102744
	005-430-71-01	004-430-65-30	From VIN # F102745, through 1997
	005-430-79-01	004-430-77-30	1998 only
	005-430-89-01	005-430-09-30	1999-2002 (334 x 32 Brembo brakes)
<i>Price reference</i>			
List Price (2007)	Master Cylinder	Brake Booster	List Price (February 2007)
\$292	004-430-39-01	004-430-31-30	\$236
\$224	005-430-24-01	004-430-65-30	\$424
\$224	005-430-62-01	004-430-22-30	\$550 EUR (price is from 2004)
\$230	004-430-75-01	004-430-77-30	\$710
\$258	005-430-63-01	005-430-09-30	\$910
\$935	005-430-40-01		
\$258	005-430-65-01		
\$330	005-430-78-01		
\$810	005-430-71-01		
\$830	005-430-79-01		
\$350	005-430-89-01		

		Pricing					
		Prices for OE parts are approximate dealer wholesale as of February 2007.					
		Prices on Zimmerman/ATE rotors are from buymbparts.com, 2/7/2007					
		Call Rusty for current OE pricing or for aftermarket rotor pricing.					
		http://www.buymbparts.com					
		FRONT ROTORS					
<i>Zim</i>	<i>ATE</i>	Price	Part number	Size	Rear friction surface to back side of flange	Notes	
<i>Drilled</i>	<i>P.D.</i>						
\$71	\$50	\$44.00	124-421-16-12	284 x 22	38mm	standard size	
\$96	\$71	\$56.00	124-421-24-12	294 x 25	44mm	E420 & E320	
\$90	n/a	\$54.40	124-421-26-12	300 x 28	38mm	Early 500E/SL500, all SL320 (?)	
\$90	\$79	\$73.60	129-421-20-12	300 x 28	38mm	Alternate rotor for above?	
n/a	n/a	\$73.60	129-421-17/18-12	320 x 30	43mm	Late 500E/SL500, all SL600	
n/a	n/a	\$83.20	129-421-21-12	334 x 32	44mm	Late SL500/SL600 (non-drilled)	
n/a	n/a	\$83.20	129-421-23-12	334 x 32	44mm	Silver Arrow models (drilled)	
n/a	n/a	\$101.00	203-421-09-12	345 x 30	?	C32 AMG (drilled, 1-piece)	
n/a	n/a	\$100.00	230-421-07-12	360 x 32	?	E55 AMG (drilled, 1-piece)	
n/a	n/a	\$650.00	209-421-01-12	360 x 36	?	CLK63 AMG (drilled, 2-piece)	
		<i>Front splash shields</i>					
		\$60.80	124-420-25/26-44	294 x 25	n/a	For W124 hub & knuckle (6 cyl)	
		\$60.80	124-420-27/28-44	294 x 25	n/a	For R129 hub & knuckle (V8)	
		\$57.60	129-420-21/22-44	300 x 28	n/a	For R129 hub & knuckle (V8)	
		\$57.60	129-420-18/19-44	320 x 30	n/a	For R129 hub & knuckle (V8)	
		Notes for front rotors:					
		25/26-44 shield should work with W124 hub/knuckle and 300mm rotor					
		E420 (294mm) and E500 (320mm) rotors WILL NOT fit early Lower Control Arms & 124 hubs					
		E420/E500 (294/320mm) brakes require either late model LCA, *or* R129 knuckle+hub, or both					
		Early 500E 300mm calipers are aluminum Brembos, the SL320/SL500 300mm calipers are iron ATE					
		Late SL500/600 (334mm) brakes are aluminum Brembo and fit R129 hubs - 17" wheels required					
		REAR ROTORS					
<i>Zim</i>	<i>ATE</i>	Price	Part number	Size		Notes	
<i>Drilled</i>	<i>P.D.</i>						
\$54	n/a	\$44.00	210-423-04-12	278 x 9		86-92 wagons, cars w/M104	
n/a	n/a	\$40.00	124-423-11-12	290 x 10		Late 1995 wagons	
n/a	n/a	\$57.60	124-423-10-12	278 x 20		1993 through early 95 wagons	
n/a	n/a	\$57.60	124-423-08-12	278 x 24		E420	
n/a	n/a	\$62.40	129-423-02-12	278 x 24		E500 (2mm thicker, R129 hub)	
n/a	n/a	\$60.00	129-423-03-12	300 x 22		E500 Euro, SL500/SL600	
n/a	n/a	\$81.60	129-423-05-12	300 x 22		Silver Arrow models (drilled)	
n/a	n/a	\$78.00	211-423-10-12	330 x 26		E55 AMG (drilled)	
n/a	n/a	\$150.00	171-423-02-12	330 x 26		CLK63 AMG (drilled)	
		<i>Rear splash shields</i>					
		\$34.00	202-420-14/15-44	258		258mm rotors only	
		\$34.00	210-420-14/15-44	278-300		278-300mm rear rotors	
		\$27.60	210-420-06/07-44	278-290	Part # may have rolled	278-290mm, wagons & coupes	
		Notes for rear rotors:					
		Splash shield replacement requires pulling the rear hub - not a DIY job, very expensive to pay a shop					
		The stock rear shield can be cut for clearance - see the URL below for details:					
		http://www.2phast.com/190E/brakes.htm					
		Front Lower Control Arms (LCA)					
		Price (EA)	Part number			Notes	
		\$283	124-330-30/31-07		Early, stock	Won't fit 294mm or 320mm	
		\$287	201-330-40/41-07		Early, Sportline	without R129 hub+knuckle	
		\$359	124-330-34/35-07		Late, stock	Has ball joint welded in, it can	
		\$359	124-330-36/37-07		Late, Sportline	not be replaced!	